

Translucent glass SGG DECORGLASS



Description

SGG DECORGLASS is a range of clear, body-tinted or wired glass, which can be combined with a number of other products from the Saint-Gobain range to allow you to benefit from the many different solutions available, from enhanced acoustic protection to bespoke enamelled designs. It offers an extensive range of designs, colours and textures that are suitable for the decoration of residential or commercial premises: Windows, Shower and bath screens, Furniture (office furniture, table tops, countertops, shelves), Street furniture.

Applications

The Translucent glass panes in the SGG DECORGLASS range enable the protection of privacy while allowing light to pass through. They adapt to suit various interior or exterior applications and are used for the design of residential, tertiary or commercial spaces.

- **Layout**

Partitions, screens, doors, shower screens or cubicles, guardrails, staircases, floor slabs.

- **Furniture**

Tables, shelves, furniture, office furniture, reception desks, cupboard doors.

- **External application**

Windows, entrance doors, [façade coverings](#), urban furniture, balcony partitions.

Transformation

Depending on the model, SGG DECORGLASS glass panels can be:

- assembled in [double glazing units](#);
- assembled in laminated (1) SGG STADIP or SGG STADIP PROTECT safety glass units (reinforced protection);
- assembled in laminated (1) SGG STADIP SILENCE acoustic safety glass units ([acoustic insulation](#));
- tempered or enamelled (2) (Safety);
- moulded, rounded, silvered, lacquered or sanded.

Installation

• Cutting

All printed glasses have a right way around. In order to achieve a uniform aesthetic result, the direction of the panes must be considered with cutting, and they must then be positioned alongside one another, facing the same direction.

• Assembly

The positioning of the printed side of the glass in a double glazing unit must take into account the table on page 6. In order to facilitate its maintenance, it is advised that you place the printed side as side 2, 3 or 4 of the double glazing unit.

• Fitting

The fitting of reinforced glass panels from the SGG WIRED range above a heat source is strongly discouraged. In the case of installation in a wet environment or one that is subject to considerable air pollution, the edges of the SGG WIRED glass panel must be protected.

Possible Associations



DECORATIVE GLASS FOR INTERIOR DESIGN

[Find a distributor](#)